

«PeakTech® P 1355» 60 MHz / 2 CH, 1 GS / s touchscreen oscilloscope



€709.90

Prices excl. VAT plus shipping costs and possibly lower value surcharge

Product number: P 1355 GTIN/EAN: 4250569404443

Description

The PeakTech 1355 is a 60 MHz 2-channel digital storage oscilloscope of the latest generation with a high-resolution TFT touchscreen and extensive additional functions. It has a sampling rate of up to 1 GS/s and convinces with its high quality and easy handling with the best price / performance ratio. Due to the 12-bit A / D converter used, this model has a 16 times higher resolution compared to an 8-bit oscilloscope, which ensures a much finer waveform resolution and allows the user to find even the smallest deviations. The many functions can be controlled either with the function keys and rotary controls or via a comfortable touchscreen operation. For mobile use, an optionally available battery can be installed, which supplies the oscilloscope over the entire working day without an additional mains connection.

Technical features

- 2-channel oscilloscope with 60 MHz analog bandwidth at max. 1 GS/s sampling rate
- 12 bit A/D converter with 4096 quantification levels
- 20 cm (8 ") TFT touchscreen for user-friendly operation
- Autoset function for user-friendly operation
- Recording length of max. 40 million points
- Automatic measurement modes, XY mode and FFT function
 Gerstenstieg 4
- Optional battery: "Akku 6" model

DE-22926 Ahrensburg

www.peaktech.de



- Safety: EN 61010-1; CAT II 400V
- Accessories: USB cable, software CD for Windows, power cord, 2 probes, BNC cable, carrying case and manual

Specifications

Sampling 1 CH: 1 GS/S

Sampling 2 CH: 500 MS/s

USB:

Bandwidth: 60 MHz

Battery: Li-Po 13200 mAh (optional)

Channels: 2 CH

Display Type: Touchscreen TFT

Hor. scale max.: 100 s/div

Hor. scale min.: 2 ns/div

LAN:

Mains voltage: 110/240 V AC; 50/60 Hz

Memory depth: 40.000.000 Points

Resolution: 800 x 600 Pixel

Rise Time: < 5.8 ns

Screen size (TFT): 20 cm (8")

VGA:

Vert. resolution: 12 Bit

Vert. scale max.: 10 V/div

Vert. scale min.: 1 mV/div