

«PeakTech® P 4046» 2CH arbitrary waveform generator, 1 µHz -160 MHz



€1,399.90

Prices excl. VAT plus shipping costs and possibly lower value surcharge

Product number: P 4046

GTIN/EAN: 4250569403804

Description

This arbitrary waveform generator has excellent technical properties, a variety of functions and an output frequency of up to 160 MHz. The two equivalent output channels, the large number of stored arbitrary waveforms and the many different types of modulation are some notable features of the PeakTech 4046. The waveform is displayed graphically in the color TFT display, with auxiliary lines the selected option, e.g. Display frequency setting, period, amplitude, offset, polarity, phase shift angle and the different types of modulation. In addition to the frequency sweep, burst and modulation functions, this device also has a 7-digit frequency counter with a wide range of measurement functions up to 350 MHz. Due to the high number of functions and easy handling, this device is ideal for almost all tasks in research, development and training.

Technical features

- Large 11 cm (4.3 ") TFT digital display
- 1µHz frequency resolution for the entire bandwidth
- 500 MSa / s sampling rate at 14 bit vertical resolution
- Over 140 different standard and arbitrary waveforms
- AM, FM, PM, PWM, SUM, FSK, QFSK, 4FSK, PSK, QPSK, 4PSK, ASK, OSK
- Channel coupling, sweep and burst function
- Integrated 350 MHz frequency counter with 7 digits resolution

PeakTech Prüf- und Messtechnik GmbH

Gerstenstieg 4
DE-22926 Ahrensburg

www.peaktech.de

- Remote control and waveform editing software
- USB host, USB device and LAN interface
- Safety: EN 61010-1
- Accessories: power cord, USB interface cable, software for Windows, BNC cable, user manual on CD

Specifications

USB:

Amplitude: 0 - 20 Vpp

Bandwidth: 160 MHz

Channels: 2 CH

Display Type: Color-TFT

Freq. resolution: 1 µHz

LAN:

Modulation: 4FSK, 4PSK, AM, ASK, FM, FSK, OSK, PM, PSK, PWM, QFSK, QPSK, SUM

Power amplifier:

Sampling Rate: 500 MS/s

Screen size (TFT): 11 cm (4,3")

Sine: 1 µHz - 160 MHz

Square: 1 µHz - 50 MHz

Ramp: 1 µHz - 5 MHz

Pulse: 1 µHz - 50 MHz

Arbitrary: 1 µHz - 30 MHz